The Journal of Clinical Investigation

January to June 1994
Volume 93

Produced by
The Rockefeller University Press
for The American Society
for Clinical Investigation, Inc.

The Journal of Clinical Investigation

Published by The Rockefeller University Press, New York *for* The American Society for Clinical Investigation, Inc.

Ajit P. Varki, *Editor*

Associate Editors

Dennis A. Carson
Kenneth R. Chien
Mark H. Ginsberg
Donald G. Guiney
Karl Y. Hostetler
Paul A. Insel
Martin F. Kagnoff
Thomas J. Kipps
Fu-Tong Liu
Daniel T. O'Connor
Jerrold M. Olefsky
Zaverio M. Ruggeri
Peter D. Wagner
Joseph L. Witztum

Michael J. Held, *Managing Editor*

E. Kay Meschko, *Assistant Managing Editor*

Consulting Editors

Peter Agre*
R. Wayne Alexander
Robert J. Alpern
David H. Alpers
William P. Arend
Peter S. Aronson*
Bernard M. Babior
Elizabeth Barrett-Connor
Kurt Benirschke
Bruce Beutler*
Ernest Beutler
Michael P. Bevilacqua
J. Michael Bishop
Roland C. Blantz
Jan L. Breslow
Frances M. Brodsky*
Eric J. Brown
Webster Cavenee
Alan Cherrington
William W. Chin*
Francis V. Chisari
Charles G. Cochrane
Desire Collen
Barry S. Coller
James D. Crapo
Philip E. Cryer
Linda K. Curtiss
Robert J. Desnick*
Jared M. Diamond
Janice G. Douglas*
Jeffrey M. Drazen
Boris Draznin
Richard Dutton
Walter Eckhart
Robert A. Eisenberg
Glen A. Evans
Darrell D. Fanestil
Marilyn G. Farquhar
Jack L. Feldman
James R. Feramisco
Joshua Fierer
Alan M. Fogelman
Uta Francke*
Elaine V. Fuchs*
Fred H. Gage
Detlev Ganten
Gordon N. Gill
Henry N. Ginsberg
Laurie H. Glimcher*
Mehran Goulian
Harry B. Greenberg*
Bevra H. Hahn
John M. Harlan*
Stephen M. Hedrick
Helen H. Hobbs*
Brian B. Hoffman
Alan Hofmann
Tasuku Honjo
Jay H. Hoofnagle
Marcus A. Horwitz
Stephen B. Howell
Willa A. Hsueh
Charles A. Janeway, Jr.
C. Ronald Kahn
Yuet Wai Kan
Carolyn J. Kelly*
Elliott D. Kieff
Seymour J. Klebanoff
Robert A. Klocke
Stuart Kornfeld
Stanley J. Korsmeyer*
Ira Kurtz
Alan R. Leff
Peter Libby
Dean H. Lockwood
Dennis Y. Loh*
David J. Loskutoff
Eduardo Marban*
John A. McDonald
Shlomo Melmed
Donald Metcalf
Beverly S. Mitchell*
Robert L. Modlin
Salvador Moncada
Joel Moss*
Barbara E. Murray*
Jacob B. Natvig
Eric G. Neilson*
Yale Nemerson
Gerald T. Nepom
Elizabeth F. Neufeld
Yasutomi Nishizuka
Stuart H. Orkin
George E. Palade
Stephen J. Pandol
James C. Paulson
Daniel K. Podolsky
Kenneth S. Polonsky
Jacques Pouyssegur
Stephen M. Prescott*
Douglas Richman
Alan G. Robinson*
John Ross, Jr.
Arthur H. Rubenstein
Erkki Ruoslahti
Robert S. Schwartz*
Stephen M. Schwartz
William E. Seaman
Sanford J. Shattil*
Margaret Shipp
Jan J. Sixma
James R. Snapper
Roger Spragg
George Stamatoyannopoulos*
Daniel Steinberg
Judith L. Swain*
Eng M. Tan
Palmer W. Taylor
Simeon I. Taylor*
Donald F. Tierney
Michael Tuck
Geoffrey M. Wahl
John H. Walsh
Karlman Wasserman
Stephen Wasserman
David J. Weatherall
Arthur Weiss*
John B. West
Cornelia Weyand
Raymond L. White
R. Sanders Williams*
Flossie Wong-Staal
Stephen G. Young
Elizabeth Ziegler

* Members of The Editorial Committee, American Society for Clinical Investigation, Inc.

Editorial Assistants Kris E. Beaver, Deanna Crabb, Marion I. Froehlich, Stephen J. Shea, and M. Kayle Watts

Copy Editing and Production Robert J. O'Donnell and Justine Manser

Editorial Offices: **University of California at San Diego, School of Medicine and Veterans Affairs Medical Center**

Contents

The Journal of Clinical Investigation
January 1994, Volume 93, Number 1

Editorials

Res ipsa loquitur: positive and negative trends affecting the *JCI*. *A. Varki and M. Held* 1

The devil's in the details: progress in familial hypertrophic cardiomyopathy. *M. Keating* 2

Dystrophin: the long and short of it. *R. G. Worton* 4

Regular Articles

Rhabdomyosarcomas do not contain mutations in the DNA binding domains of myogenic transcription factors. *G. Anand, D. N. Shapiro, P. S. Dickman, and E. V. Prochownik* 5

Interstitial insulin concentrations determine glucose uptake rates but not insulin resistance in lean and obese men. *C. Castillo, C. Bogardus, R. Bergman, P. Thuillez, and S. Lillioja* 10

Estradiol enhances leukocyte binding to tumor necrosis factor (TNF)-stimulated endothelial cells via an increase in TNF-induced adhesion molecules E-selectin, intercellular adhesion molecule type 1, and vascular cell adhesion molecule type 1. *M. C. Cid, H. K. Kleinman, D. S. Grant, H. W. Schnaper, A. S. Fauci, and G. S. Hoffman* 17

Novel *pseudomonas* product stimulates interleukin-8 production in airway epithelial cells in vitro. *P. P. Massion, H. Inoue, J. Richman-Eisenstat, D. Grunberger, P. G. Jorens, B. Housset, J.-F. Pittet, J. P. Wiener-Kronish, and J. A. Nadel* 26

Steroid-resistant asthma. Cellular mechanisms contributing to inadequate response to glucocorticoid therapy. *E. R. Sher, D. Y. M. Leung, W. Surs, J. C. Kam, G. Zieg, A. K. Kamada, and S. J. Szefler* 33

Acidosis during ischemia promotes adenosine triphosphate resynthesis in postischemic rat heart. In vivo regulation of 5'-nucleotidase. *M. I. Bak and J. S. Ingwall* 40

Impairment of endothelium-dependent dilation is an early event in children with familial hypercholesterolemia and is related to the lipoprotein(a) level. *K. E. Sorensen, D. S. Celermajer, D. Georgakopoulos, G. Hatcher, D. J. Betteridge, and J. E. Deanfield* 50

Analysis of tumor necrosis factor promoter responses to ultraviolet light. *F. Bazzoni, V. Kruys, A. Shakhov, C. V. Jongeneel, and B. Beutler* . . 56

Raloxifene (LY139481 HCl) prevents bone loss and reduces serum cholesterol without causing uterine hypertrophy in ovariectomized rats. *L. J. Black, M. Sato, E. R. Rowley, D. E. Magee, A. Bekele, D. C. Williams, G. J. Cullinan, R. Bendele, R. F. Kauffman, W. R. Bensch, C. A. Frolik, J. D. Termine, and H. U. Bryant* 63

A possible role for rat intestinal surfactant-like particles in transepithelial triacylglycerol transport. *A. Mahmood, F. Yamagishi, R. Eliakim, K. DeSchryver-Kecskemeti, T. L. Gramlich, and D. H. Alpers* 70

Antibodies from patients with heparin-induced thrombocytopenia/thrombosis are specific for platelet factor 4 complexed with heparin or bound to endothelial cells. *G. P. Visentin, S. E. Ford, J. P. Scott, and R. H. Aster* 81

Stimulation with a monoclonal antibody (mAb4E4) of scavenger receptor–mediated uptake of chemically modified low density lipoproteins by THP-1–derived macrophages enhances foam cell generation. *P. Holvoet, G. Perez, H. Bernar, E. Brouwers, B. Vanloo, M. Rosseneu, and D. Collen* 89

Immunohistochemical analysis of dystrophin-associated proteins in Becker/Duchenne muscular dystrophy with huge in-frame deletions in the NH_2-terminal and rod domains of dystrophin. *K. Matsumura, A. H. M. Burghes, M. Mora, F. M. S. Tomé, L. Morandi, F. Cornello, F. Leturcq, M. Jeanpierre, J.-C. Kaplan, P. Reinert, M. Fardeau, J. R. Mendell, and K. P. Campbell* 99

Na^+/H^+ exchangers, NHE-1 and NHE-3, of rat intestine. Expression and localization. *C. Bookstein, A. M. DePaoli, Y. Xie, P. Niu, M. W. Musch, M. C. Rao, and E. B. Chang* 106

Inhibition of endotoxin-induced activation of coagulation and fibrinolysis by pentoxifylline or by a monoclonal anti-tissue factor antibody in chimpanzees. *M. Levi, H. ten Cate, K. A. Bauer, T. van der Poll, T. S. Edgington, H. R. Büller, S. J. H. van Deventer, C. E. Hack, J. W. ten Cate, and R. D. Rosenberg* 114

Duplication of 10 nucleotides in the erythroid band 3 (AE1) gene in a kindred with hereditary spherocytosis and band 3 protein deficiency (band 3^{PRAGUE}). *P. Jarolim, H. L. Rubin, S.-C. Liu, M. R. Cho, V. Brabec, L. H. Derick, S. J. Yi, S. T. O. Saad, S. Alper, C. Brugnara, D. E. Golan, and J. Palek* 121

Modulation of platelet-derived growth factor receptor expression in microvascular endothelial cells during in vitro angiogenesis. *M. Marx, R. A. Perlmutter, and J. A. Madri* 131

Effect of nonprotective vaccination on antibody response to subsequent human immunodeficiency virus infection. *S. H. Pincus, K. G. Messer, and S.-L. Hu* 140

Analysis of regional hemodynamic regulation in response to scald injury. *P. A. Taheri, H. L. Lippton, S. D. Force, E. W. Franklin, A. L. Hyman, L. M. Flint, and J. J. Ferrara* 147

Prostaglandin E_1 abrogates early reductive stress and zone-specific paradoxical oxidative injury in hypoperfused rat liver. *H. Suzuki, M. Suematsu, H. Ishii, S. Kato, H. Miki, M. Mori, Y. Ishimura, T. Nishino, and M. Tsuchiya* 155

Increased production of nitric oxide in coronary arteries during congestive heart failure. *B. O'Murchu, V. M. Miller, M. A. Perrella, and J. C. Burnett, Jr.* 165

Glanzmann thrombasthenia secondary to a Gly273 → Asp mutation adjacent to the first calcium-binding domain of platelet glycoprotein IIb. *M. Poncz, S. Rifat, B. S. Coller, P. J. Newman, S. J. Shattil, T. Parrella, P. Fortina, and J. S. Bennett* 172

Gonadotropin stimulates ovarian renin–angiotensin system in the rabbit. *Y. Yoshimura, N. Koyama, M. Karube, T. Oda, M. Akiba, A. Yoshinaga, S. Shiokawa, M. Jinno, and Y. Nakamura* 180

Platelet-activating factor causes ventilation–perfusion mismatch in humans. *R. Rodriguez-Roisin, M. A. Félez, K. F. Chung, J. A. Barberà, P. D. Wagner, A. Cobos, P. J. Barnes, and J. Roca* 188

Lovastatin increases arachidonic acid levels and stimulates thromboxane synthesis in human liver and monocytic cell lines. *N. Hrboticky, L. Tang, B. Zimmer, I. Lux, and P. C. Weber* 195

Thrombus formation and platelet–vessel wall interaction in the nephrotic syndrome under flow conditions. *J. J. Zwaginga, H. A. Koomans, J. J. Sixma, and T. J. Rabelink* 204

Transport of sodium and urea in outer medullary descending vasa recta. *T. L. Pallone, J. Work, R. L. Myers, and R. L. Jamison* 212

Apolipoprotein A-I Q[−2]X causing isolated apolipoprotein A-I deficiency in a family with analphalipoproteinemia. *D. S. Ng, L. A. Leiter, C. Vezina, P. W. Connelly, and R. A. Hegele* 223

Hepatitis B virus persistence after recovery from acute viral hepatitis. *T. I. Michalak, C. Pasquinelli, S. Guilhot, and F. V. Chisari* 230

Lactate release from the subcutaneous tissue in lean and obese men. *P.-A. Jansson, A. Larsson, U. Smith, and P. Lönnroth* 240

Linkage of azurophil granule secretion in neutrophils to chloride ion transport and endosomal transcytosis. *C. Fittschen and P. M. Henson* 247

Hypoxic and ischemic hypoxia exacerbate brain injury associated with metabolic encephalopathy in laboratory animals. *Z. S. Vexler, J. C. Ayus, T. P. L. Roberts, C. L. Fraser, J. Kucharczyk, and A. I. Arieff* 256

Effects of cigarette smoking and its cessation on lipid metabolism and energy expenditure in heavy smokers. *M. K. Hellerstein, N. L. Benowitz, R. A. Neese, J.-M. Schwarz, R. Hoh, P. Jacob III, J. Hsieh, and D. Faix* 265

Interleukin-1 receptor antagonist ameliorates experimental anti–glomerular basement membrane antibody-associated glomerulonephritis. *W. W. Tang, L. Feng, J. L. Vannice, and C. B. Wilson* 273

Prognostic implications of novel β cardiac myosin heavy chain gene mutations that cause familial hypertrophic cardiomyopathy. *R. Anan, G. Greve, L. Thierfelder, H. Watkins, W. J. McKenna, S. Solomon, C. Vecchio, H. Shono, S. Nakao, H. Tanaka, A. Mares, Jr., J. A. Towbin, P. Spirito, R. Roberts, J. G. Seidman, and C. E. Seidman* 280

Short-term effects of uninephrectomy on electrical properties of the cortical collecting duct from rabbit remnant kidneys. *S. Muto, S. Ebata, and Y. Asano* 286

Vulnerability of the human airway epithelium to hyperoxia. Constitutive expression of the catalase gene in human bronchial epithelial cells despite oxidant stress. *J.-H. Yoo, S. C. Erzurum, J. G. Hay, P. Lemarchand, and R. G. Crystal* 297

A unique property of a plasma proteoglycan, the C1q inhibitor. An anticoagulant state resulting from its binding to fibrinogen. *D. K. Galanakis and B. Ghebrehiwet* 303

Impaired nitric oxide–dependent cyclic guanosine monophosphate generation in glomeruli from diabetic rats. Evidence for protein kinase C–mediated suppression of the cholinergic response. *P. A. Craven, R. K. Studer, and F. R. DeRubertis* 311

Markedly accelerated catabolism of apolipoprotein A-II (ApoA-II) and high density lipoproteins containing ApoA-II in classic lecithin: cholesterol acyltransferase deficiency and fish-eye disease. *D. J. Rader, K. Ikewaki, N. Duverger, H. Schmidt, H. Pritchard, J. Frohlich, M. Clerc, M.-F. Dumon, T. Fairwell, L. Zech, S. Santamarina-Fojo, and H. B. Brewer, Jr.* 321

Protective role of intracellular superoxide dismutase against extracellular oxidants in cultured rat gastric cells. *H. Hiraishi, A. Terano, T. Sugimoto, T. Harada, M. Razandi, and K. J. Ivey* 331

Induction of angiotensin converting enzyme in the neointima after vascular injury. Possible role in restenosis. *H. Rakugi, D.-K. Kim, J. E. Krieger, D. S. Wang, V. J. Dzau, and R. E. Pratt* 339

Localization of cystic fibrosis transmembrane conductance regulator mRNA in the human gastrointestinal tract by in situ hybridization. *T. V. Strong, K. Boehm, and F. S. Collins* 347

H19, a developmentally regulated gene, is reexpressed in rat vascular smooth muscle cells after injury. *D.-K. Kim, L. Zhang, V. J. Dzau, and R. E. Pratt* 355

Evidence of antigen receptor-influenced oligoclonal B lymphocyte expansion in the synovium of a patient with longstanding rheumatoid arthritis. *S. K. Lee, S. L. Bridges, Jr., P. M. Kirkham, W. J. Koopman, and H. W. Schroeder, Jr.* 361

β-adrenergic agonists regulate K_{Ca} channels in airway smooth muscle by cAMP dependent and independent mechanisms. *H. Kume, I. P. Hall, R. J. Washabau, K. Takagi, and M. I. Kotlikoff* 371

Persistence of multiple maternal genotypes of human immunodeficiency virus type I in infants infected by vertical transmission. *S. L. Lamers, J. W. Sleasman, J. X. She, K. A. Barrie, S. M. Pomeroy, D. J. Barrett, and M. M. Goodenow* 380

Lipopolysaccharide induces prostaglandin H synthase-2 protein and mRNA in human alveolar macrophages and blood monocytes. *S. L. Hempel, M. M. Monick, and G. W. Hunninghake* 391

The human kidney low affinity Na^+/glucose cotransporter SGLT2. Delineation of the major renal reabsorptive mechanism for D-glucose. *Y. Kanai, W.-S. Lee, G. You, D. Brown, and M. A. Hediger* 397

Expression and functional significance of alternatively spliced CS1 fibronectin in rheumatoid arthritis microvasculature. *M. J. Elices, V. Tsai, D. Strahl, A. S. Goel, V. Tollefson, T. Arrhenius, E. A. Wayner, F. C. A. Gaeta, J. D. Fikes, and G. S. Firestein* 405

Functional characterization of three intercalated cell subtypes in the rabbit outer cortical collecting duct. *E. Emmons and I. Kurtz* 417

Rapid Publications

Interleukin-10 prevents spontaneous death of germinal center B cells by induction of the bcl-2 protein. *Y. Levy and J.-C. Brouet* 424

Molecular rearrangements of the *MLL* gene are present in most cases of infant acute myeloid leukemia and are strongly correlated with monocytic or myelomonocytic phenotypes. *P. H. B. Sorensen, C.-S. Chen, F. O. Smith, D. C. Arthur, P. H. Domer, I. D. Bernstein, S. J. Korsmeyer, G. D. Hammond, and J. H. Kersey* 429

Increased expression of basement membrane collagen in human diabetic retinopathy. *S. Roy, M. Maiello, and M. Lorenzi* 438

Lupus autoantibodies to native DNA cross-react with the A and D SnRNP polypeptides. *M. Reichlin, A. Martin, E. Taylor-Albert, K. Tsuzaka, W. Zhang, M. W. Reichlin, E. Koren, F. M. Ebling, B. Tsao, and B. H. Hahn* 443

Selective reduction of Δ6 and Δ5 desaturase activities but not Δ9 desaturase in micropigs chronically fed ethanol. *M. T. Nakamura, A. B. Tang, J. Villanueva, C. H. Halsted, and S. D. Phinney* 450

January Author Index 455

The Journal of Clinical Investigation
February 1994, Volume 93, Number 2

Editorials

The spring meetings: back to the future. *J. C. Weissler, L. E. Rosenberg, and J. A. Berzofsky* 457

Tissue-type plasminogen activator: a role for O-linked fucose. *J. U. Baenziger* 459

Microbes and the proteoglycan connection. *A. O. Fuller* 460

Regular Articles

Determinants of mild clinical symptoms in cystic fibrosis patients. Residual chloride secretion measured in rectal biopsies in relation to the genotype. *H. J. Veeze, D. J. J. Halley, J. Bijman, J. C. de Jongste, H. R. de Jonge, and M. Sinaasappel* 461

Resistance to artemisinin of malaria parasites (*Plasmodium falciparum*) infecting α-thalassemic erythrocytes in vitro. Competition in drug accumulation with uninfected erythrocytes. *S. Kamchonwongpaisan, G. Chandra-ngam, M. A. Avery, and Y. Yuthavong* 467

The immediate early genes of human cytomegalovirus upregulate tumor necrosis factor-α gene expression. *L. J. Geist, M. M. Monick, M. F. Stinski, and G. W. Hunninghake* 474

Developing intestine is injured during absorption of oleic acid but not its ethyl ester. *O. R. Velasquez, A. R. Place, P. Tso, and K. D. Crissinger* 479

Three novel mutations in five unrelated subjects with hereditary protein S deficiency type I. *P. H. Reitsma, H. K. Ploos van Amstel, and R. M. Bertina* 486

Regulation of eicosanoid production and mitogenesis in rat intestinal epithelial cells by transforming growth factor-α and phorbol ester. *R. N. DuBois, J. Awad, J. Morrow, L. J. Roberts II, and P. R. Bishop* 493

Remodeling of neutrophil phospholipids with 15(*S*)-hydroxyeicosatetraenoic acid inhibits leukotriene B_4–induced neutrophil migration across endothelium. *S. Takata, M. Matsubara, P. G. Allen, P. A. Janmey, C. N. Serhan, and H. R. Brady* 499

Elevated c-Src tyrosine kinase activity in premalignant epithelia of ulcerative colitis. *C. A. Cartwright, C. A. Coad, and B. M. Egbert* . . . 509

C-*erb*B-2 expression and codon 12 K-*ras* mutations both predict shortened survival for patients with pulmonary adenocarcinomas. *J. A. Kern, R. J. C. Slebos, B. Top, S. Rodenhuis, D. Lager, R. A. Robinson, D. Weiner, and D. A. Schwartz* 516

Involvement of β_2-microglobulin modified with advanced glycation end products in the pathogenesis of hemodialysis-associated amyloidosis. Induction of human monocyte chemotaxis and macrophage secretion of tumor necrosis factor-α and interleukin-1. *T. Miyata, R. Inagi, Y. Iida, M. Sato, N. Yamada, O. Oda, K. Maeda, and H. Seo* 521

Diminished brain glucose metabolism is a significant determinant for falling rates of systemic glucose utilization during sleep in normal humans. *P. J. Boyle, J. C. Scott, A. J. Krentz, R. J. Nagy, E. Comstock, and C. Hoffman* 529

Stimulation of collagen gene expression and protein synthesis in murine mesangial cells by high glucose is mediated by autocrine activation of transforming growth factor-β. *F. N. Ziyadeh, K. Sharma, M. Ericksen, and G. Wolf* 536

Induction of nitric oxide synthase by cyclic AMP in rat vascular smooth muscle cells. *T. Imai, Y. Hirata, K. Kanno, and F. Marumo* 543

Hepatitis B virus precore mutation and fulminant hepatitis in the United States. A polymerase chain reaction–based assay for the detection of specific mutation. *T. J. Liang, K. Hasegawa, S. J. Munoz, C. N. Shapiro, B. Yoffe, B. J. McMahon, C. Feng, H. Bei, M. J. Alter, and J. L. Dienstag* 550

Endothelin (ET)-3 stimulates cyclic guanosine 5′-monophosphate production via ET_B receptor by producing nitric oxide in isolated rat glomerulus, and in cultured rat mesangial cells. *A. Owada, K. Tomita, Y. Terada, H. Sakamoto, H. Nonoguchi, and F. Marumo* 556

Identification of two single base substitutions in the UGT1 gene locus which abolish bilirubin uridine diphosphate glucuronosyltransferase activity in vitro. *L. T. Erps, J. K. Ritter, J. H. Hersh, D. Blossom, N. C. Martin, and I. S. Owens* 564

Interferon-γ induces the synthesis and activation of cytosolic phospholipase A_2. *T. Wu, S. J. Levine, M. G. Lawrence, C. Logun, C. W. Angus, and J. H. Shelhamer* 571

Small intestine hexose transport in experimental diabetes. Increased transporter mRNA and protein expression in enterocytes. *C. F. Burant, S. Flink, A. M. DePaoli, J. Chen, W.-S. Lee, M. A. Hediger, J. B. Buse, and E. B. Chang* 578

High efficiency of muscle regeneration after human myoblast clone transplantation in SCID mice. *J. Huard, S. Verreault, R. Roy, M. Tremblay, and J. P. Tremblay* 586

Intravenous immunoglobulin treatment of experimental T cell–mediated autoimmune disease. Upregulation of T cell proliferation and downregulation of tumor necrosis factor α secretion. *A. Achiron, R. Margalit, R. Hershkoviz, D. Markovits, T. Reshef, E. Melamed, I. R. Cohen, and O. Lider* 600

Taurine modulation of hypochlorous acid–induced lung epithelial cell injury in vitro. Role of anion transport. *A. M. Cantin* 606

Increased platelet deposition on atherosclerotic coronary arteries. *G. H. van Zanten, S. de Graaf, P. J. Slootweg, H. F. G. Heijnen, T. M. Connolly, P. G. de Groot, and J. J. Sixma* 615

Polymorphonuclear leukocyte transmigration promotes invasion of colonic epithelial monolayer by *Shigella flexneri*. *J. J. Perdomo, P. Gounon, and P. J. Sansonetti* 633

Long-term biological response of injured rat carotid artery seeded with smooth muscle cells expressing retrovirally introduced human genes. *M. M. Clowes, C. M. Lynch, A. D. Miller, D. G. Miller, W. R. A. Osborne, and A. W. Clowes* 644

Increased gene expression after liposome-mediated arterial gene transfer associated with intimal smooth muscle cell proliferation. In vitro and in vivo findings in a rabbit model of vascular injury. *S. Takeshita, D. Gal, G. Leclerc, J. G. Pickering, R. Riessen, L. Weir, and J. M. Isner* 652

Therapeutic angiogenesis. A single intraarterial bolus of vascular endothelial growth factor augments revascularization in a rabbit ischemic hind limb model. *S. Takeshita, L. P. Zheng, E. Brogi, M. Kearney, L.-Q. Pu, S. Bunting, N. Ferrara, J. F. Symes, and J. M. Isner* 662

Renal Na^+-phosphate cotransport in murine X-linked hypophosphatemic rickets. Molecular characterization. *H. S. Tenenhouse, A. Werner, J. Biber, S. Ma, J. Martel, S. Roy, and H. Murer* 671

Exercise-induced pulmonary vasoconstriction during combined blockade of nitric oxide synthase and beta adrenergic receptors. *D. W. Kane, T. Tesauro, T. Koizumi, R. Gupta, and J. H. Newman* . . 677

Prejunctional angiotensin II receptors. Facilitation of norepinephrine release in the human forearm. *B. Clemson, L. Gaul, S. S. Gubin, D. M. Campsey, J. McConville, J. Nussberger, and R. Zelis* 684

Lipopolysaccharide (LPS)-binding protein and soluble CD14 function as accessory molecules for LPS-induced changes in endothelial barrier function, in vitro. *S. E. Goldblum, T. W. Brann, X. Ding, J. Pugin, and P. S. Tobias* 692

α-Fucose–mediated binding and degradation of tissue-type plasminogen activator by HepG2 cells. *K. A. Hajjar and C. M. Reynolds* 703

Role of interleukin-4 in human immunoglobulin E formation in hu-PBL-SCID mice. *H. L. Spiegelberg, L. Beck, H. P. Kocher, W. C. Fanslow, and A. H. Lucas* 711

Cellular mechanism of the conduction abnormalities induced by serum from anti-Ro/SSA–positive patients in rabbit hearts. *S. Garcia, J. H. M. Nascimento, E. Bonfa, R. Levy, S. F. Oliveira, A. V. Tavares, and A. C. Campos de Carvalho* 718

Retinoic acid suppresses parathyroid hormone (PTH) secretion and PreproPTH mRNA levels in bovine parathyroid cell culture. *P. N. MacDonald, C. Ritter, A. J. Brown, and E. Slatopolsky* 725

Hereditary renal amyloidosis with a novel variant fibrinogen. *T. Uemichi, J. J. Liepnieks, and M. D. Benson* 731

Expression of the cystic fibrosis gene in adult human lung. *J. F. Engelhardt, M. Zepeda, J. A. Cohn, J. R. Yankaskas, and J. M. Wilson* 737

Perforin-secreting killer cell infiltration and expression of a 65-kD heat-shock protein in aortic tissue of patients with Takayasu's arteritis. *Y. Seko, S. Minota, A. Kawasaki, Y. Shinkai, K. Maeda, H. Yagita, K. Okumura, O. Sato, A. Takagi, Y. Tada, and Y. Yazaki* 750

Expression of inducible stress protein 70 in rat heart myogenic cells confers protection against stimulated ischemia-induced injury. *R. Mestril, S.-H. Chi, M. R. Sayen, K. O'Reilly, and W. H. Dillmann* 759

Role of interleukin-10 in T helper cell dysfunction in asymptomatic individuals infected with the human immunodeficiency virus. *M. Clerici, T. A. Wynn, J. A. Berzofsky, S. P. Blatt, C. W. Hendrix, A. Sher, R. L. Coffman, and G. M. Shearer* 768

α_4-Integrins mediate antigen-induced late bronchial responses and prolonged airway hyperresponsiveness in sheep. *W. M. Abraham, M. W. Sielczak, A. Ahmed, A. Cortes, I. T. Lauredo, J. Kim, B. Pepinsky, C. D. Benjamin, D. R. Leone, R. R. Lobb, and P. F. Weller* 776

Angiotensin II induces delayed mitogenesis and cellular proliferation in rat aortic smooth muscle cells. Correlation with the expression of specific endogenous growth factors and reversal by suramin. *H. Weber, D. S. Taylor, and C. J. Molloy* 788

Timing of peak bone mass in Caucasian females and its implication for the prevention of osteoporosis. *V. Matkovic, T. Jelic, G. M. Wardlaw, J. Z. Ilich, P. K. Goel, J. K. Wright, M. B. Andon, K. T. Smith, and R. P. Heaney* 799

Borrelia burgdorferi bind to epithelial cell proteoglycans. *R. D. Isaacs* 809

Inhibition of vascular smooth muscle cell proliferation in vitro and in vivo by C-*myc* antisense oligodeoxynucleotides. *M. R. Bennett, S. Anglin, J. R. McEwan, R. Jagoe, A. C. Newby, and G. I. Evan* . . . 826

Prostaglandin E_2 activates clusters of apical Cl^- channels in principal cells via a cyclic adenosine monophosphate–dependent pathway. *B. N. Ling, K. E. Kokko, and D. C. Eaton* 829

DNA variation in the genes of the Na,K-adenosine triphosphatase and its relation with resting metabolic rate, respiratory quotient, and body fat. *O. Dériaz, F. Dionne, L. Pérusse, A. Tremblay, M.-C. Vohl, G. Côté, and C. Bouchard* 838

Low-dose α-tocopherol improves and high-dose α-tocopherol worsens endothelial vasodilator function in cholesterol-fed rabbits. *J. F. Keaney, Jr., J. M. Gaziano, A. Xu, B. Frei, J. Curran-Celentano, G. T. Shwaery, J. Loscalzo, and J. A. Vita* 844

Rheumatoid factors from the peripheral blood of two patients with rheumatoid arthritis are genetically heterogeneous and somatically mutated. *K. Youngblood, L. Fruchter, G. Ding, J. Lopez, V. Bonagura, and A. Davidson* 852

Herlitz junctional epidermolysis bullosa keratinocytes display heterogeneous defects of nicein/kalinin gene expression. *C. Baudoin, C. Miquel, C. Blanchet-Bardon, C. Gambini, G. Meneguzzi, and J.-P. Ortonne* 862

Long-term exposure of rat pancreatic islets to fatty acids inhibits glucose-induced insulin secretion and biosynthesis through a glucose fatty acid cycle. *Y.-P. Zhou and V. E. Grill* 870

Human clusterin gene expression is confined to surviving cells during in vitro programmed cell death. *L. E. French, A. Wohlwend, A.-P. Sappino, J. Tschopp, and J. A. Schifferli* 877

Rapid Publications

Modulation of the effector function of human monocytes for *Mycobacterium avium* by human immunodeficiency virus-1 envelope glycoprotein gp120. *H. Shiratsuchi, J. L. Johnson, Z. Toossi, and J. J. Ellner* 885

Transforming growth factor-β activation in irradiated murine mammary gland. *M. H. Barcellos-Hoff, R. Derynck, M. L.-S. Tsang, and J. A. Weatherbee* 892

Reversal of postischemic acute renal failure with a selective endothelin$_A$ receptor antagonist in the rat. *M. Gellai, M. Jugus, T. Fletcher, R. DeWolf, and P. Nambi* 900

Lysophosphatidylcholine transcriptionally induces growth factor gene expression in cultured human endothelial cells. *N. Kume and M. A. Gimbrone, Jr.* 907

Correction 913

February Author Index 915

Contents

The Journal of Clinical Investigation
March 1994, Volume 93, Number 3

Editorials

A spoonful of sugar to control inflammation? *E. Tuomanen* 917

Consequences of human stem cells taking up residence in sheep. *H. E. Broxmeyer* 919

Immune responses to human immunodeficiency virus type 1 in exposed but uninfected individuals: protection or chance? *D. J. Looney* 920

Regular Articles

Macrophage inflammatory protein-1α. A novel chemotactic cytokine for macrophages in rheumatoid arthritis. *A. E. Koch, S. L. Kunkel, L. A. Harlow, D. D. Mazarakis, G. K. Haines, M. D. Burdick, R. M. Pope, and R. M. Strieter* 921

Inhibition of leukocyte rolling with polysaccharide fucoidin prevents pleocytosis in experimental meningitis in the rabbit. *C. Granert, J. Raud, X. Xie, L. Lindquist, and L. Lindbom* 929

Rapid desensitization of neonatal rat liver β-adrenergic receptors. A role for β-adrenergic receptor kinase. *I. García-Higuera and Federico Mayor, Jr.* 937

17 β-Estradiol inhibits expression of human interleukin-6 promoter–reporter constructs by a receptor-dependent mechanism. *S. T. Pottratz, T. Bellido, H. Mocharla, D. Crabb, and S. C. Manolagas* 944

Ca^{2+} transient decline and myocardial relaxation are slowed during low flow ischemia in rat hearts. *S. A. Camacho, R. Brandes, V. M. Figueredo, and M. W. Weiner* 951

Adenosine triphosphate–dependent transport of doxorubicin, daunomycin, and vinblastine in human tissues by a mechanism distinct from the P-glycoprotein. *S. Awasthi, S. S. Singhal, S. K. Srivastava, P. Zimniak, K. K. Bajpai, M. Saxena, R. Sharma, S. A. Ziller III, E. P. Frenkel, S. V. Singh, N. G. He, and Y. C. Awasthi* 958

Cellular distribution of insulin-degrading enzyme gene expression. Comparison with insulin and insulin-like growth factor receptors. *C. A. Bondy, J. Zhou, E. Chin, R. R. Reinhardt, L. Ding, and R. A. Roth* 966

Adenosine receptors mediate synergistic stimulation of glucose uptake and transport by insulin and by contractions in rat skeletal muscle. *L. Vergauwen, P. Hespel, and E. A. Richter* 974

Programmed death of T cells in human immonodeficiency virus infection. No correlation with progression to disease. *L. Meyaard, S. A. Otto, I. P. M. Keet, M. T. L. Roos, and F. Miedema* 982

Age- and gender-related changes in the distribution of osteocalcin in the extracellular matrix of normal male and female bone. Possible involvement of osteocalcin in bone remodeling. *R. T. Ingram, Y.-K. Park, B. L. Clarke, and L. A. Fitzpatrick* 989

Formation of non–cyclooxygenase-derived prostanoids (F_2-isoprostanes) in plasma and low density lipoprotein exposed to oxidative stress in vitro. *S. M. Lynch, J. D. Morrow, L. J. Roberts II, and B. Frei* 998

A benign cultured colon adenoma bears three genetically altered colon cancer oncogenes, but progresses to tumorigenicity and transforming growth factor-beta independence without inactivating the p35 tumor suppressor gene. *S. D. Markowitz, L. Myeroff, M. J. Cooper, J. Traicoff, M. Kochera, J. Lutterbaugh, M. Swiriduk, and J. K. V. Willson* . . . 1005

Calcium and protein kinetics in prepubertal boys. Positive effects of testosterone. *N. Mauras, M. W. Haymond, D. Darmaun, N. E. Vieira, S. A. Abrams, and A. L. Yergey* 1014

Epitopes on the β subunit of human muscle acetylcholine receptor recognized by $CD4^+$ cells of myasthenia gravis patients and healthy subjects. *L. Moiola, P. Karachunski, M. P. Protti, J. F. Howard, Jr., and B. M. Conti-Tronconi* 1020

The apoptosis-1/Fas protein in human systemic lupus erythematosus. *E. Mysler, P. Bini, J. Drappa, P. Ramos, S. M. Friedman, P. H. Krammer, and K. B. Elkon* 1029

Identification of a novel exonic mutation at − 13 from 5′ splice site causing exon skipping in a girl with mitochondrial acetoacetyl-coenzyme A thiolase deficiency. *T. Fukao, S. Yamaguchi, A. Wakazono, T. Orii, G. Hoganson, and T. Hashimoto* 1035

Leukotriene A_4 hydrolase in human bronchoalveolar lavage fluid. *D. A. Munafo, K. Shindo, J. R. Baker, and T. D. Bigby* 1042

Long-term repopulating ability of xenogeneic transplanted human fetal liver hematopoietic stem cells in sheep. *E. D. Zanjani, A. W. Flake, H. Rice, M. Hedrick, and M. Tavassoli* 1051

High density lipoproteins stimulate the production and secretion of endothelin-1 from cultured bovine aortic endothelial cells. *R.-M. Hu, M.-Y. Chuang, B. Prins, M. L. Kashyap, H. J. L. Frank, A. Pedram, and E. R. Levin* 1056

Neutrophil migration inhibitory properties of polyunsaturated fatty acids. The role of fatty acid structure, metabolism, and possible second messenger systems. *A. Ferrante, D. Goh, D. P. Harvey, B. S. Robinson, C. S. T. Hii, E. J. Bates, S. J. Hardy, D. W. Johnson, and A. Poulos* . . 1063

Supravalvular aortic stenosis associated with a deletion disrupting the elastin gene. *A. K. Ewart, W. Jin, D. Atkinson, C. A. Morris, and M. T. Keating* 1071

Differential effects of insulin-like growth factor I and growth hormone on developmental stages of rat growth plate chondrocytes in vivo. *E. B. Hunziker, J. Wagner, and J. Zapf* 1078

Myocardial protection after whole body heat stress in the rabbit is dependent on metabolic substrate and is related to the amount of the inducible 70-kD heat stress protein. *M. S. Marber, J. M. Walker, D. S. Latchman, and D. M. Yellon* 1087

Cyclooxygenase-1 and -2 expression in rheumatoid synovial tissues. Effects of interleukin-1β, phorbol ester, and corticosteroids. *L. J. Crofford, R. L. Wilder, A. P. Ristimäki, H. Sano, E. F. Remmers, H. R. Epps, and T. Hla* 1095

Defective respiratory capacity and mitochondrial protein synthesis in transformant cybrids harboring the $tRNA^{Leu(UUR)}$ mutation associated with maternally inherited myopathy and cardiomyopathy. *C. Mariotti, V. Tiranti, F. Carrara, B. Dallapiccola, S. DiDonato, and M. Zeviani* 1102

Familial hypocalciuric hypercalcemia and neonatal severe hyperparathyroidism. Effects of mutant gene dosage on phenotype. *M. R. Pollak, Y.-H. W. Chou, S. J. Marx, B. Steinmann, D. E. C. Cole, M. L. Brandi, S. E. Papapoulos, F. H. Menko, G. N. Hendy, E. M. Brown, C. E. Seidman, and J. G. Seidman* 1108

Characterization of mixed syngeneic-allogeneic and syngeneic-xenogeneic islet-graft rejections in mice. Evidence of functional impairment of the remaining syngeneic islets in xenograft rejections. *O. Korsgren and L. Jansson* 1113

Insulin secretory abnormalities in subjects with hyperglycemia due to glucokinase mutations. *M. M. Byrne, J. Sturis, K. Clément, N. Vionnet, M. E. Pueyo, M. Stoffel, J. Takeda, P. Passa, D. Cohen, G. I. Bell, G. Velho, P. Froguel, and K. S. Polonsky* 1120

Comparison of the metabolic effects of recombinant human insulin-like growth factor-I and insulin. Dose–response relationships in healthy young and middle-aged adults. *S. D. Boulware, W. V. Tamborlane, N. J. Rennert, N. Gesundheit, and R. S. Sherwin* 1131

Sialyl $lewis^a$–containing oligosaccharide attenuates myocardial reperfusion injury in cats. *M. Buerke, A. S. Weyrich, Z. Zheng, F. C. A. Gaeta, M. J. Forrest, and A. M. Lefer* 1140

Alterations of human placental epidermal growth factor receptor in intrauterine growth retardation. *C. Fondacci, E. Alsat, R. Gabriel, Ph. Blot, C. Nessmann, and D. Evain-Brion* 1149

Skeletal muscle protein tyrosine phosphatase activity and tyrosine phosphatase 1B protein content are associated with insulin action and resistance. *J. Kusari, K. A. Kenner, K.-I. Suh, D. E. Hill, and R. R. Henry* 1156

Metabolic clearance of recombinant human growth hormone in health and chronic renal failure. *D. Haffner, F. Schaefer, J. Girard, E. Ritz, and O. Mehls* 1163

Antibodies against transforming growth factor-β1 suppress intimal hyperplasia in a rat model. *Y. G. Wolf, L. M. Rasmussen, and E. Ruoslahti* 1172

Cocaine differentially inhibits neuronal differentiation and proliferation in vitro. *D. Zachor, J. K. Cherkes, C. T. Fay, and I. Ocrant* 1179

Effects of dietary cholesterol on cholesterol and bile acid homeostasis in patients with cholesterol gallstones. *F. Kern, Jr.* 1186

Deletions in the *COL4A5* collagen gene in X-linked alport syndrome. Characterization of the pathological transcripts in nonrenal cells and correlation with disease expression. *C. Antignac, B. Knebelmann, L. Drouot, F. Gros, G. Deschênes, M.-C. Hors-Cayla, J. Zhou, K. Tryggvason, J.-P. Grünfeld, M. Broyer, and M.-C. Gubler* 1195

Regulation of the costimulator B7, not class II major histocompatibility complex, restricts the ability of murine kidney tubule cells to stimulate $CD4^+$ T cells. *D. T. Hagerty, B. D. Evavold, and P. M. Allen* 1208

Mechanism of the diastolic dysfunction induced by glycolytic inhibition. Does adenosine triphosphate derived from glycolysis play a favored role in cellular Ca^{2+} homeostasis in ferret myocardium? *H. Kusuoka and E. Marban* 1216

Interleukin 1α causes rapid activation of cytosolic phospholipase A_2 by phosphorylation in rat mesangial cells. *J. Gronich, M. Konieczkowski, M. H. Gelb, R. A. Nemenoff, and J. R. Sedor* 1224

Persistence of the fetal pattern of tropoelastin gene expression in severe neonatal bovine pulmonary hypertension. *K. R. Stenmark, A. G. Durmowicz, J. D. Roby, R. P. Mecham, and W. C. Parks* 1234

Local delivery of dexamethasone for prevention of neointimal proliferation in a rat model of balloon angioplasty. *A. E. Villa, L. A. Guzman, W. Chen, G. Golomb, R. J. Levy, and E. J. Topol* . . . 1243

Cloning, characterization, and chromosomal mapping of human aquaporin of collecting duct. *S. Sasaki, K. Fushimi, H. Saito, F. Saito, S. Uchida, K. Ishibashi, M. Kuwahara, T. Ikeuchi, K.-i. Inui, K. Nakajima, T. X. Watanabe, and F. Marumo* 1250

Neutrophil recruitment in *Clostridium difficile* toxin A enteritis in the rabbit. *C. P. Kelly, S. Becker, J. K. Linevsky, M. A. Joshi, J. C. O'Keane, B. F. Dickey, J. T. LaMont, and C. Pothoulakis* 1257

Insulin-like growth factor-I and platelet-derived growth factor-BB induce directed migration of human arterial smooth muscle cells via signaling pathways that are distinct from those of proliferation. *K. E. Bornfeldt, E. W. Raines, T. Nakano, L. M. Graves, E. G. Krebs, and R. Ross* . . 1266

Sodium/calcium exchange modulates intracellular calcium overload during posthypoxic reoxygenation in mammalian working myocardium. Evidence from aequorin-loaded ferret ventricular muscles. *Y. Kihara, S. Sasayama, M. Inoko, and J. P. Morgan* 1275

Rapid Publications

Angiotensinogen as a risk factor for essential hypertension in Japan. *A. Hata, C. Namikawa, M. Sasaki, K. Sato, T. Nakamura, K. Tamura, and J.-M. Lalouel* 1285

Marked elevation of plasma chitotriosidase activity. A novel hallmark of Gaucher disease. *C. E. M. Hollak, S. van Weely, M. H. J. van Oers, and J. M. F. G. Aerts* 1288

Human immunodeficiency virus (HIV) *nef*-specific cytotoxic T lymphocytes in noninfected heterosexual contact of HIV-infected patients. *P. Langlade-Demoyen, N. Ngo-Giang-Huong, F. Ferchal, and E. Oksenhendler* 1293

Keratinocyte growth factor is a growth factor for type II pneumocytes in vivo. *T. R. Ulich, E. S. Yi, K. Longmuir, S. Yin, R. Biltz, C. F. Morris, R. M. Housley, and G. F. Pierce* 1298

Defective fluid transport by cystic fibrosis airway epithelia. *J. J. Smith, P. H. Karp, and M. J. Welsh* 1307

Induction of immune unresponsiveness to concordant islet xenografts by intrahepatic preimmunization and transient immunosuppression. *J. A. Goss, E. H. Finke, M. W. Flye, and P. E. Lacy* 1312

Cyclosporin A inhibits CD40 ligand expression in T lymphocytes. *R. Fuleihan, N. Ramesh, A. Horner, D. Ahern, P. J. Belshaw, D. G. Alberg, I. Stamenkovic, W. Harmon, and R. S. Geha* 1315

Identification of somatostatin receptor subtypes and an implication for the efficacy of somatostatin analogue SMS 201-995 in treatment of human endocrine tumors. *A. Kubota, Y. Yamada, S. Kagimoto, A. Shimatsu, M. Imamura, K. Tsuda, H. Imura, S. Seino, and Y. Seino* 1321

Molecular cloning, chromosomal localization, and functional characterization of a human liver Na^+/bile acid cotransporter. *B. Hagenbuch and P. J. Meier* 1326

Pancreatic islet production of murine interleukin-10 does not inhibit immune-mediated tissue destruction. *M.-S. Lee, L. Wogensen, J. Shizuru, M. B. A. Oldstone, and N. Sarvetnick* 1332

Endothelium dependency of contractile activity differs in infant and adult vertebral arteries. *J. R. Charpie, K. D. Schreur, S. M. Papadopoulos, and R. C. Webb* 1339

March Author Index 1345

Correction 1347

Correction 1349

Contents

The Journal of Clinical Investigation
April 1994, Volume 93, Number 4

Editorials

Melanoma, immune surveillance, and immunotherapy. *S. Ferrone* . . 1351

Digestion and indigestion in malaria parasites. *W. Trager* 1353

A new parvovirus: Similarities between monkeys and humans. *J. R. Pattison* 1354

Perspectives

Chaos and chaos control in biology. *J. N. Weiss, A. Garfinkel, M. L. Spano, and W. L. Ditto* 1355

Regular Articles

Specific tolerance to an acetylcholine receptor epitope induced in vitro in myasthenia gravis $CD4^+$ lymphocytes by soluble major histocompatibility complex class II–peptide complexes. *M. W. Nicolle, B. Nag, S. D. Sharma, N. Willcox, A. Vincent, D. J. P. Ferguson, and J. Newsom-Davis* 1361

Molecular mechanism of transcriptional activation of angiotensinogen gene by proximal promoter. *K. Tamura, S. Umemura, M. Ishii, K. Tanimoto, K. Murakami, and A. Fukamizu* 1370

The urokinase receptor is required for human monocyte chemotaxis in vitro. *M. R. Gyetko, R. F. Todd III, C. C. Wilkinson, and R. G. Sitrin* 1380

Extrathyroidal release of thyroid hormones from thyroglobulin by J774 mouse macrophages. *K. Brix and V. Herzog* 1388

Direct evidence to support the immunosurveillance concept in a human regressive melanoma. *A. Mackensen, G. Carcelain, S. Viel, M.-C. Raynal, H. Michalaki, F. Triebel, J. Bosq, and T. Hercend* . . . 1397

Diet-induced hyperlipoproteinemia and atherosclerosis in apolipoprotein E3–Leiden transgenic mice. *B. J. M. van Vlijmen, A. M. J. M. van den Maagdenberg, M. J. J. Gijbels, H. van der Boom, H. HogenEsch, R. R. Frants, M. H. Hofker, and L. M. Havekes* . . . 1403

Bronchial biopsy evidence for leukocyte infiltration and upregulation of leukocyte–endothelial cell adhesion molecules 6 hours after local allergen challenge of sensitized asthmatic airways. *S. Montefort, C. Gratziou, D. Goulding, R. Polosa, D. O. Haskard, P. H. Howarth, S. T. Holgate, and M. P. Carroll* 1411

Chloroquine induces human macrophage killing of *histoplasma capsulatum* by limiting the availability of intracellular iron and is therapeutic in a murine model of histoplasmosis. *S. L. Newman, L. Gootee, G. Brunner, and G. S. Deepe, Jr.* 1422

The Fodrin-Ankyrin cytoskeleton of choroid plexus preferentially colocalizes with apical Na^+K^+-ATPase rather than with basolateral anion exchanger AE2. *S. L. Alper, A. Stuart-Tilley, C. F. Simmons, D. Brown, and D. Drenckhahn* 1430

Studies of the secretion of corticotropin-releasing factor and arginine vasopressin into the hypophysial-portal circulation of the conscious sheep. II. The central noradrenergic and neuropeptide Y pathways cause immediate and prolonged hypothalamic-pituitary-adrenal activation. Potential involvement in the Pseudo-Cushing's syndrome of endogenous depression and anorexia nervosa. *J.-P. Liu, I. J. Clarke, J. W. Funder, and D. Engler* 1439

Bone marrow extracellular matrix molecules improve gene transfer into human hematopoietic cells via retroviral vectors. *T. Moritz, V. P. Patel, and D. A. Williams* 1451

Intimal hyperplasia after vascular injury is inhibited by antisense cdk 2 kinase oligonucleotides. *R. Morishita, G. H. Gibbons, K. E. Ellison, M. Nakajima, H. von der Leyen, L. Zhang, Y. Kaneda, T. Ogihara, and V. J. Dzau* 1458

Inducible production of nitric oxide in osteoblast-like cells and in fetal mouse bone explants is associated with suppression of osteoclastic bone resorption. *C. W. G. M. Löwik, P. H. Nibbering, M. van de Ruit, and S. E. Papapoulos* 1465

A murine model of the eosinophilia-myalgia syndrome induced by 1,1'-ethylidenebis(L-tryptophan). *R. M. Silver, A. Ludwicka, M. Hampton, T. Ohba, S. A. Bingel, T. Smith, R. A. Harley, J. Maize, and M. P. Heyes* 1473

Variation in lipoprotein(a) concentration associated with different apolipoprotein(a) alleles. *Y. F. N. Perombelon, A. K. Soutar, and B. L. Knight* 1481

Intact human ceruloplasmin oxidatively modifies low density lipoprotein. *E. Ehrenwald, G. M. Chisolm, and P. L. Fox* 1493

Similar levels of mRNA from the W1282X and the ΔF508 cystic fibrosis alleles, in nasal epithelial cells. *T. Shoshani, E. Kerem, A. Szeinberg, A. Augarten, Y. Yahav, D. Cohen, J. Rivlin, A. Tal, and B. Kerem* . . . 1502

Role of H1 receptors and P-selectin in histamine-induced leukocyte rolling and adhesion in postcapillary venules. *H. Asako, I. Kurose, R. Wolf, S. DeFrees, Z.-L. Zheng, M. L. Phillips, J. C. Paulson, and D. N. Granger* 1508

Interleukin-11: A new cytokine critical for osteoclast development. *G. Girasole, G. Passeri, R. L. Jilka, and S. C. Manolagas* 1516

Anchorage-independent colony growth of pulmonary fibroblasts derived from fibrotic human lung tissue. *D. J. Torry, C. D. Richards, T. J. Podor, and J. Gauldie* 1525

Genetic mutations in the K1 and K10 genes of patients with epidermolytic hyperkeratosis. Correlation between location and disease severity. *A. J. Syder, Q.-C. Yu, A. S. Paller, G. Giudice, R. Pearson, and E. Fuchs* 1533

Modulation by β-aminopropionitrile of vessel luminal narrowing and structural abnormalities in arterial wall collagen in a rabbit model of conventional balloon angioplasty versus laser balloon angioplasty. *J. R. Spears, H. Zhan, S. Khurana, R. L. Karvonen, and K. M. Reiser* 1543

Recruitment of lymphocytes during cutaneous delayed hypersensitivity in nonhuman primates is dependent on E-selectin and vascular cell adhesion molecule 1. *A. Silber, W. Newman, V. G. Sasseville, D. Pauley, D. Beall, D. G. Walsh, and D. J. Ringler* 1554

Hypoxic induction of interleukin-8 gene expression in human endothelial cells. *M. Karakurum, R. Shreeniwas, J. Chen, D. Pinsky, S.-D. Yan, M. Anderson, K. Sunouchi, J. Major, T. Hamilton, K. Kuwabara, A. Rot, R. Nowygrod, and D. Stern* 1564

Identification of a novel simian parvovirus in cynomolgus monkeys with severe anemia. A paradigm of human B19 parvovirus infection. *M. G. O'Sullivan, D. C. Anderson, J. D. Fikes, F. T. Bain, C. S. Carlson, S. W. Green, N. S. Young, and K. E. Brown* 1571

Transplanted beta cell response to increased metabolic demand. Changes in beta cell replication and mass. *E. Montaña, S. Bonner-Weir, and G. C. Weir* 1577

Bacterial lipopolysaccharide primes human neutrophils for enhanced release of arachidonic acid and causes phosphorylation of an 85-kD cytosolic phospholipase A_2. *M. E. Doerfler, J. Weiss, J. D. Clark, and P. Elsbach* 1583

Differential gene expression and regulation of angiotensin II receptor subtypes in rat cardiac fibroblasts and cardiomyocytes in culture. *H. Matsubara, M. Kanasaki, S. Murasawa, Y. Tsukaguchi, Y. Nio, and M. Inada* 1592

Order and specificity of the *plasmodium falciparum* hemoglobin degradation pathway. *I. Y. Gluzman, S. E. Francis, A. Oksman, C. E. Smith, K. L. Duffin, and D. E. Goldberg* 1602

Role of cytosolic calcium-independent plasmalogen-selective phospholipase A_2 in hypoxic injury to rabbit proximal tubules. *D. Portilla, S. V. Shah, P. A. Lehman, and M. H. Creer* 1609

Effects of insulin on ovine fetal leucine kinetics and protein metabolism. *J. R. Milley* 1616

Human small cell lung cancer cell lines expressing the proopiomelanocortin gene have aberrant glucocorticoid receptor function. *D. W. Ray, A. C. Littlewood, A. J. L. Clark, J. R. E. Davis, and A. White* 1625

Oscillating activity of a Ca^{2+}-sensitive K^+ channel. A prerequisite for migration of transformed Madin-Darby canine kidney focus cells. *A. Schwab, L. Wojnowski, K. Gabriel, and H. Oberleithner* 1631

Molecular composition of Ro small ribonucleoprotein complexes in human cells. Intracellular localization of the 60- and 52-kD proteins. *A. Kelekar, M. R. Saitta, and J. D. Keene* 1637

Mast cell degranulation induced by type 1 fimbriated *Escherichia coli* in mice. *R. Malaviya, E. Ross, B. A. Jakschik, and S. N. Abraham* . . . 1645

Role of adenosine in the sympathetic activation produced by isometric exercise in humans. *F. Costa and I. Biaggioni* 1654

Functional switching of macrophage responses to tumor necrosis factor-α (TNFα) by interferons. Implications for the pleiotropic activities of TNFα. *F. R. Lake, P. W. Noble, P. M. Henson, and D. W. H. Riches* 1661

Treatment with oral clotrimazole blocks Ca^{2+}-activated K^+ transport and reverses erythrocyte dehydration in transgenic SAD mice. A model for therapy of sickle cell disease. *L. De Franceschi, N. Saadane, M. Trudel, S. L. Alper, C. Brugnara, and Y. Beuzard* 1670

Ventromedial hypothalamic lesions in rats suppress counterregulatory responses to hypoglycemia. *W. P. Borg, M. J. During, R. S. Sherwin, M. A. Borg, M. L. Brines, and G. I. Shulman* 1677

Overexpression of apolipoprotein CII causes hypertriglyceridemia in transgenic mice. *N. S. Shachter, T. Hayek, T. Leff, J. D. Smith, D. W. Rosenberg, A. Walsh, R. Ramakrishnan, I. J. Goldberg, H. N. Ginsberg, and J. L. Breslow* 1683

Respiratory epithelial cell expression of human transforming growth factor-α induces lung fibrosis in transgenic mice. *T. R. Korfhagen, R. J. Swantz, S. E. Wert, J. M. McCarty, C. B. Kerlakian, S. W. Glasser, and J. A. Whitsett* 1691

The pathogenesis of adoptive murine autoimmune diabetes requires an interaction between α4-integrins and vascular cell adhesion molecule-1. *J. L. Baron, E.-P. Reich, I. Visintin, and C. A. Janeway, Jr.* 1700

Elevated expression of type VII collagen in the skin of patients with systemic sclerosis. Regulation by transforming growth factor-β. *L. Rudnicka, J. Varga, A. M. Christiano, R. V. Iozzo, S. A. Jimenez, and J. Uitto* 1709

A patient with Ehlers-Danlos syndrome type VI is a compound heterozygote for mutations in the lysyl hydroxylase gene. *V. T. Ha, M. K. Marshall, L. J. Elsas, S. R. Pinnell, and H. N. Yeowell* 1716

Increased damage to type II collagen in osteoarthritic articular cartilage detected by a new immunoassay. *A. P. Hollander, T. F. Heathfield, C. Webber, Y. Iwata, R. Bourne, C. Rorabeck, and A. R. Poole* 1722

Interleukin 12 at the site of disease in tuberculosis. *M. Zhang, M. K. Gately, E. Wang, J. Gong, S. F. Wolf, S. Lu, R. L. Modlin, and P. F. Barnes* 1733

Mitochondrial trifunctional protein deficiency. Catalytic heterogeneity of the mutant enzyme in two patients. *T. Kamijo, R. J. A. Wanders, J.-M. Saudubray, T. Aoyama, A. Komiyama, and T. Hashimoto* . . . 1740

Antibodies to opacity proteins (Opa) correlate with a reduced risk of gonococcal salpingitis. *F. A. Plummer, H. Chubb, J. N. Simonsen, M. Bosire, L. Slaney, N. J. D. Nagelkerke, I. Maclean, J. O. Ndinya-Achola, P. Waiyaki, and R. C. Brunham* 1748

Consequences of β-glucocerebrosidase deficiency in epidermis. Ultrastructure and permeability barrier alterations in Gaucher disease. *W. M. Holleran, E. I. Ginns, G. K. Menon, J.-U. Grundmann, M. Fartasch, C. E. McKinney, P. M. Elias, and E. Sidransky* 1756

Phenotypic variability and incomplete penetrance of spontaneous fractures in an inbred strain of transgenic mice expressing a mutated collagen gene (COL1A1). *R. Pereira, K. Halford, B. P. Sokolov, J. S. Khillan, and D. J. Prockop* 1765

Activation of H^+ conductance in neutrophils requires assembly of components of the respiratory burst oxidase but not its redox function. *A. Nanda, J. T. Curnutte, and S. Grinstein* 1770

Intestinal expression of human apolipoprotein A-IV in transgenic mice fails to influence dietary lipid absorption or feeding behavior. *K. Aalto-Setälä, C. L. Bisgaier, A. Ho, K. A. Kieft, M. G. Traber, H. J. Kayden, R. Ramakrishnan, A. Walsh, A. D. Essenburg, and J. L. Breslow* 1776

Serological and genetic characterization of a human monoclonal immunoglobulin G anti-DNA idiotype. *M. R. Ehrenstein, C. M. Longhurst, D. S. Latchman, and D. A. Isenberg* 1787

Direct quantification of apparent binding indices from quinidine-induced in vivo conduction delay in canine myocardium. *F. N. Haugland, S. B. Johnson, and D. L. Packer* 1798

Cloning and expression of mutations demonstrating intragenic complementation in *mut*^{0} Methylmalonic aciduria. *A. A. Qureshi, A. M. Crane, N. V. Matiaszuk, I. Rezvani, F. D. Ledley, and D. S. Rosenblatt* 1812

Astrocyte growth is regulated by neuropeptides through Tis 8 and basic fibroblast growth factor. *R.-M. Hu and E. R. Levin* 1820

Rapid Publications

Regulation of corticotropin receptor number and messenger RNA in cultured human adrenocortical cells by corticotropin and angiotensin II. *M.-C. Lebrethon, D. Naville, M. Begeot, and J. M. Saez* 1828

Protection of rabbit lungs from endotoxin injury by in vivo hyperexpression of the prostaglandin G/H synthase gene. *J. T. Conary, R. E. Parker, B. W. Christman, R. D. Faulks, G. A. King, B. O. Meyrick, and K. L. Brigham* 1834

Expression cloning of a rat hepatic reduced glutathione transporter with canalicular characteristics. *J.-R. Yi, S. Lu, J. Fernandez-Checa, and N. Kaplowitz* 1841

Thrombomodulin expression by human keratinocytes. Induction of cofactor activity during epidermal differentiation. *T. J. Raife, D. J. Lager, K. C. Madison, W. W. Piette, E. J. Howard, M. T. Sturm, Y. Chen, and S. R. Lentz* 1846

A novel exon in the cystic fibrosis transmembrane conductance regulator gene activated by the nonsense mutation E92X in airway epithelial cells of patients with cystic fibrosis. *K. Will, T. Dörk, M. Stuhrmann, T. Meitinger, R. Bertele-Harms, B. Tümmler, and J. Schmidtke* . . . 1852

A mutation in the surfactant protein B gene responsible for fatal neonatal respiratory disease in multiple kindreds. *L. M. Nogee, G. Garnier, H. C. Dietz, L. Singer, A. M. Murphy, D. E. deMello, and H. R. Colten* 1860

Tetracycline-regulated cardiac gene expression in vivo. *G. I. Fishman, M. L. Kaplan, and P. M. Buttrick* 1864

April Author Index 1869

Contents

The Journal of Clinical Investigation
May 1994, Volume 93, Number 5

Editorials

The screening review system: fair or foul? *A. P. Varki* 1871

Nitric oxide and biopterin: a study in Chiaroscuro. *C. Nathan* 1875

Special Article

Chance, concurrence, and clustering. Analysis of reviewers' recommendations on 1,000 submissions to *The Journal of Clinical Investigation*. *B. F. Scharschmidt, A. DeAmicis, P. Bacchetti, and M. J. Held* 1877

Regular Articles

Permselectivity in thin membrane nephropathy. *D. M. Thomas, G. A. Coles, D. F. R. Griffiths, and J. D. Williams* 1881

Massive xanthomatosis and atherosclerosis in cholesterol-fed low density lipoprotein receptor–negative mice. *S. Ishibashi, J. L. Goldstein, M. S. Brown, J. Herz, and D. K. Burns* 1885

Preferential activation of microsomal diacylglycerol/protein kinase C signaling during glucose treatment (de novo phospholipid synthesis) of rat adipocytes. *R. V. Farese, M. L. Standaert, T. P. Arnold, K. Yamada, and K. Musunuru* 1894

Regulated CL transport, K and CL permeability, and exocytosis in T84 cells. *M. E. Huflejt, R. A. Blum, S. G. Miller, H.-P. H. Moore, and T. E. Machen* 1900

Molecular cloning of the complementary DNA and gene that encode mouse brain natriuretic peptide and generation of transgenic mice that overexpress the brain natriuretic peptide gene. *Y. Ogawa, H. Itoh, N. Tamura, S.-i. Suga, T. Yoshimasa, M. Uehira, S. Matsuda, S. Shiono, H. Nishimoto, and K. Nakao* 1911

Evidence for role of cytosolic free calcium in hypoxia-induced proximal tubule injury. *A. Kribben, E. D. Wieder, J. F. M. Wetzels, L. Yu, P. E. Gengaro, T. J. Burke, and R. W. Schrier* 1922

Leukocytosis and natural killer cell function parallel neurobehavioral fatigue induced by 64 hours of sleep deprivation. *D. F. Dinges, S. D. Douglas, L. Zaugg, D. E. Campbell, J. M. McMann, W. G. Whitehouse, E. C. Orne, S. C. Kapoor, E. Icaza, and M. T. Orne* 1930

Endogenous nitric oxide enhances prostaglandin production in a model of renal inflammation. *D. Salvemini, K. Seibert, J. L. Masferrer, T. P. Misko, M. G. Currie, and P. Needleman* 1940

Combined pancreas and kidney transplantation normalizes protein metabolism in insulin-dependent diabetic-uremic patients. *L. Luzi, A. Battezzati, G. Perseghin, E. Bianchi, I. Terruzzi, D. Spotti, S. Vergani, A. Secchi, E. La Rocca, G. Ferrari, C. Staudacher, R. Castoldi, V. Di Carlo, and G. Pozza* 1948

Interleukin-1 receptor antagonist decreases bone loss and bone resorption in ovariectomized rats. *R. B. Kimble, J. L. Vannice, D. C. Bloedow, R. C. Thompson, W. Hopfer, V. T. Kung, C. Brownfield, and R. Pacifici* 1959

Cytokines suppress human islet function irrespective of their effects on nitric oxide generation. *D. L. Eizirik, S. Sandler, N. Welsh, M. Cetkovic-Cvrlje, A. Nieman, D. A. Geller, D. G. Pipeleers, K. Bendtzen, and C. Hellerström* 1968

Pressure promotes DNA synthesis in rat cultured vascular smooth muscle cells. *K. Hishikawa, T. Nakaki, T. Marumo, M. Hayashi, H. Suzuki, R. Kato, and T. Saruta* 1975

Antiproliferative effect of retinoid compounds on Kaposi's sarcoma cells. *J. Corbeil, E. Rapaport, D. D. Richman, and D. J. Looney* . . . 1981

Heparin inhibits the induction of three matrix metalloproteinases (stromelysin, 92-kD gelatinase, and collagenase) in primate arterial smooth muscle cells. *R. D. Kenagy, S. T. Nikkari, H. G. Welgus, and A. W. Clowes* 1987

Identification of mutations in the gene for glucose-6-phosphatase, the enzyme deficient in glycogen storage disease type 1a. *K.-J. Lei, C.-J. Pan, L. L. Shelly, J.-L. Liu, and J. Y. Chou* 1994

Somatostatin analogues suppress the inflammatory reaction in vivo. *K. Karalis, G. Mastorakos, G. P. Chrousos, and G. Tolis* 2000

Obesity-induced diabetes (diabesity) in C57BL/KsJ mice produces aberrant *trans*-regulation of sex steroid sulfotransferase genes. *E. H. Leiter and H. D. Chapman* 2007

Expression of α_2-macroglobulin receptor/low density lipoprotein receptor–related protein and scavenger receptor in human atherosclerotic lesions. *J. Luoma, T. Hiltunen, T. Särkioja, S. K. Moestrup, J. Gliemann, T. Kodama, T. Nikkari, and S. Ylä-Herttuala* 2014

92-kD gelatinase is produced by eosinophils at the site of blister formation in bullous pemphigoid and cleaves the extracellular domain of recombinant 180-kD bullous pemphigoid autoantigen. *M. Ståhle-Bäckdahl, M. Inoue, G. J. Giudice, and W. C. Parks* 2022

Quantitative studies of endothelial cell adhesion. Directional remodeling of focal adhesion sites in response to flow forces. *P. F. Davies, A. Robotewskyj, and M. L. Griem* 2031

Processing of urishiol (poison ivy) hapten by both endogenous and exogenous pathways for presentation to T cells in vitro. *R. S. Kalish, J. A. Wood, and A. LaPorte* 2039

TGF-β promotes proliferation of cultured SMC via both PDGF-AA–dependent and PDGF-AA–independent mechanisms. *G. A. Stouffer and G. K. Owens* 2048

Hepatocyte growth factor/scatter factor effects on epithelia. Regulation of intercellular junctions in transformed and nontransformed cell lines, basolateral polarization of c-met receptor in transformed and natural intestinal epithelia, and induction of rapid wound repair in a transformed model epithelium. *A. Nusrat, C. A. Parkos, A. E. Bacarra, P. J. Godowski, C. Delp-Archer, E. M. Rosen, and J. L. Madara* . . . 2056

Expression of the mouse corticotropin-releasing hormone gene in vivo and targeted inactivation in embryonic stem cells. *L. J. Muglia, N. A. Jenkins, D. J. Gilbert, N. G. Copeland, and J. A. Majzoub* . . . 2066

Endothelial cells stimulated with tumor necrosis factor-α express varying amounts of tissue factor resulting in inhomogenous fibrin deposition in a native blood flow system. Effects of thrombin inhibitors. *D. Kirchhofer, T. B. Tschopp, P. Hadváry, and H. R. Baumgartner* . . 2073

Regulation of hepatic 7α-hydroxylase expression by dietary psyllium in the hamster. *J. D. Horton, J. A. Cuthbert, and D. K. Spady* 2084

Evidence that the VκIII gene usage is nonstochastic in both adult and newborn peripheral B cells and that peripheral CD5+ adult B cells are oligoclonal. *J.-C. Weber, G. Blaison, T. Martin, A.-M. Knapp, and J.-L. Pasquali* 2093

TGF-β1 and 25-hydroxycholesterol stimulate osteoblast-like vascular cells to calcify. *K. E. Watson, K. Boström, R. Ravindranath, T. Lam, B. Norton, and L. L. Demer* 2106

Serum soluble interleukin 6 (IL-6) receptor and IL-6/soluble IL-6 receptor complex in systemic juvenile rheumatoid arthritis. *F. De Benedetti, M. Massa, P. Pignatti, S. Albani, D. Novick, and A. Martini* 2114

A point mutation in gp91-*phox* of cytochrome b_{558} of the human NADPH oxidase leading to defective translocation of the cytosolic proteins p47-*phox* and p67-*phox*. *J. H. W. Leusen, M. de Boer, B. G. J. M. Bolscher, P. M. Hilarius, R. S. Weening, H. D. Ochs, D. Roos, and A. J. Verhoeven* 2120

Metabolic acidosis stimulates muscle protein degradation by activating the adenosine triphosphate–dependent pathway involving ubiquitin and proteasomes. *W. E. Mitch, R. Medina, S. Grieber, R. C. May, B. K. England, S. R. Price, J. L. Bailey, and A. L. Goldberg* 2127

Ligation of the T cell receptor complex results in activation of the Ras/Raf-1/MEK/MAPK cascade in human T lymphocytes. *R. A. Franklin, A. Tordai, H. Patel, A. M. Gardner, G. L. Johnson, and E. W. Gelfand* 2134

Physiologic characterization of endothelin A and B receptor activity in the ovine fetal pulmonary circulation. *D. D. Ivy, J. P. Kinsella, and S. H. Abman* 2141

Inhibition by interferon-γ of human mononuclear cell–mediated low density lipoprotein oxidation. Participation of tryptophan metabolism along the kynurenine pathway. *S. Christen, S. R. Thomas, B. Garner, and R. Stocker* 2149

Chronic hypocalcemia of vitamin D deficiency leads to lower intracellular calcium concentrations in rat hepatocytes. *M. Gascon-Barré, P. Haddad, S. J. Provencher, S. Bilodeau, F. Pecker, S. Lotersztajn, and S. Vallières* 2159

Low density lipoprotein receptor and 3-hydroxy-3-methylglutaryl coenzyme A reductase gene expression in human mononuclear leukocytes is regulated coordinately and parallels gene expression in human liver. *E. E. Powell and P. A. Kroon* 2168

Localization of proliferating cell nuclear antigen, vimentin, c-Fos, and clusterin in the postischemic kidney. Evidence for a heterogenous genetic response among nephron segments, and a large pool of mitotically active and dedifferentiated cells. *R. Witzgall, D. Brown, C. Schwarz, and J. V. Bonventre* 2175

Anti–tumor necrosis factor modulates anti–CD3–triggered t cell cytokine gene expression in vivo. *C. Ferran, F. Dautry, S. Mérite, K. Sheehan, R. Schreiber, G. Grau, J.-F. Bach, and L. Chatenoud* . . . 2189

Alpha$_1$-adrenoceptor activation mediates the infarct size–limiting effect of ischemic preconditioning through augmentation of 5′-nucleotidase activity. *M. Kitakaze, M. Hori, T. Morioka, T. Minamino, S. Takashima, H. Sato, Y. Shinozaki, M. Chujo, H. Mori, M. Inoue, and T. Kamada* 2197

p53 expression during normal tissue regeneration in response to acute cutaneous injury in swine. *H. N. Antoniades, T. Galanopoulos, J. Neville-Golden, C. P. Kiritsy, and S. E. Lynch* 2206

Secretion-recapture process of apolipoprotein E in hepatic uptake of chylomicron remnants in transgenic mice. *H. Shimano, Y. Namba, J. Ohsuga, M. Kawamura, K. Yamamoto, M. Shimada, T. Gotoda, K. Harada, Y. Yazaki, and N. Yamada* 2215

Downregulation of adenylylcyclase types V and VI mRNA levels in pacing-induced heart failure in dogs. *Y. Ishikawa, S. Sorota, K. Kiuchi, R. P. Shannon, K. Komamura, S. Katsushika, D. E. Vatner, S. F. Vatner, and C. J. Homcy* 2224

Prostacyclin synthesis in ovine pulmonary artery is developmentally regulated by changes in cyclooxygenase-1 gene expression. *T. S. Brannon, A. J. North, L. B. Wells, and P. W. Shaul* 2230

Regulation of nitric oxide synthesis by proinflammatory cytokines in human umbilical vein endothelial cells. Elevations in tetrahydrobiopterin levels enhance endothelial nitric oxide synthase specific activity. *P. Rosenkranz-Weiss, W. C. Sessa, S. Milstien, S. Kaufman, C. A. Watson, and J. S. Prober* 2236

Vascular mechanisms of cyclosporin-induced hypertension in the rat. *J.-B. Roullet, H. Xue, D. A. McCarron, S. Holcomb, and W. M. Bennett* 2244

Cystamine potently suppresses in vitro HIV replication in acutely and chronically infected human cells. *A. Bergamini, M. Capozzi, L. Ghibelli, L. Dini, A. Salanitro, G. Milanese, T. Wagner, S. Beninati, C. D. Pesce, C. Amici, and G. Rocchi* 2251

Proopiomelanocortin-derived peptides are synthesized and released by human keratinocytes. *E. Schauer, F. Trautinger, A. Köck, A. Schwarz, R. Bhardwaj, M. Simon, J. C. Ansel, T. Schwarz, and T. A. Luger* . . 2258

Glucagon-like peptide 1 enhances glucose tolerance both by stimulation of insulin release and by increasing insulin-independent glucose disposal. *D. A. D'Alessio, S. E. Kahn, C. R. Leusner, and J. W. Ensinck* 2263

Different alterations in the insulin-stimulated glucose uptake in the athlete's heart and skeletal muscle. *P. Nuutila, M. J. Knuuti, O. J. Heinonen, U. Ruotsalainen, M. Teräs, J. Bergman, O. Solin, H. Yki-Järvinen, L.-M. Voipio-Pulkki, U. Wegelius, and V. A. Koivisto* 2267

Rapid Publications

Involvement of cyclic AMP and nitric oxide in immunoglobulin E–dependent activation of FcεRII/CD23$^+$ normal human keratinocytes. *P.-A. Bécherel, M. D. Mossalayi, F. Ouaaz, L. Le Goff, B. Dugas, N. Paul-Eugène, C. Frances, O. Chosidow, E. Kilchherr, J.-J. Guillosson, P. Debré, and M. Arock* 2275

Orientation of microvascular blood flow in pancreatic islet isografts. *M. D. Menger, P. Vajkoczy, C. Beger, and K. Messmer* 2280

In vivo proteolysis of serum insulin-like growth factor (IGF) binding protein-3 results in increased availability of IGF to target cells. *C. Blat, J. Villaudy, and M. Binoux* 2286

Cardiac preservation is enhanced in a heterotopic rat transplant model by supplementing the nitric oxide pathway. *D. J. Pinsky, M. C. Oz, S. Koga, M. J. Broekman, A. J. Marcus, H. Liao, Y. Naka, J. Brett, P. J. Cannon, R. Nowygrod, T. Malinski, and D. M. Stern* 2291

May Author Index 2299

Contents

The Journal of Clinical Investigation
June 1994, Volume 93, Number 6

Editorials

The wanderings of a platelet gene: What is "neo" Ibβ telling us?
G. J. Roth 2301

Renal contribution to glucose production after a brief fast: Fact or fancy?
A. D. Cherrington, D. H. Wasserman, and O. P. McGinness 2303

Signaling by nonreceptor surface-mediated redox-active biomolecules.
J. D. Crapo and J. S. Stamler 2304

Perspectives

Paroxysmal nocturnal hemoglobinuria and the glycosylphosphatidylinositol anchor. *E. T. H. Yeh and W. F. Rosse* . . 2305

Regular Articles

Inhibition of bone resorption in vitro by antisense RNA and DNA molecules targeted against carbonic anhydrase II or two subunits of vacuolar H^+-ATPase. *T. Laitala and H. K. Väänänen* 2311

Expression and localization of human oxytocin receptor mRNA and its protein in chorion and decidua during parturition. *M. Takemura, T. Kimura, S. Nomura, Y. Makino, T. Inoue, T. Kikuchi, Y. Kubota, Y. Tokugawa, T. Nobunaga, S. Kamiura, H. Onoue, C. Azuma, F. Saji, Y. Kitamura, and O. Tanizawa* 2319

Enzyme replacement therapy for murine mucopolysaccharidosis type VII. *M. S. Sands, C. Vogler, J. W. Kyle, J. H. Grubb, B. Levy, N. Galvin, W. S. Sly, and E. H. Birkenmeier* 2324

Gonadotropin-releasing hormone receptor mRNA expression by human pituitary tumors in vitro. *J. M. Alexander and A. Klibanski* 2332

Interleukin-6 attenuates agonist-mediated calcium mobilization in murine osteoblastic cells. *J. Green, S. Schotland, Z. Sella, and C. R. Kleeman* 2340

Antisense proliferating cell nuclear antigen oligonucleotides inhibit intimal hyperplasia in a rat carotid artery injury model. *M. Simons, E. R. Edelman, and R. D. Rosenberg* 2351

Cellular markers that distinguish the phases of hemangioma during infancy and childhood. *K. Takahashi, J. B. Mulliken, H. P. W. Kozakewich, R. A. Rogers, J. Folkman, and R. A. B. Ezekowitz* 2357

Impaired insulin-induced sympathetic neural activation and vasodilation in skeletal muscle in obese humans. *P. Vollenweider, D. Randin, L. Tappy, E. Jéquier, P. Nicod, and U. Scherrer* 2365

Characterization of angiotensin II receptors in cultured adult rat cardiac fibroblasts. Coupling to signaling systems and gene expression. *M. Crabos, M. Roth, A. W. A. Hahn, and P. Erne* 2372

Rheumatoid cachexia: cytokine-driven hypermetabolism accompanying reduced body cell mass in chronic inflammation. *R. Roubenoff, R. A. Roubenoff, J. G. Cannon, J. J. Kehayias, H. Zhuang, B. Dawson-Hughes, C. A. Dinarello, and I. H. Rosenberg* 2379

Mitogen-activated protein kinase and its activator are regulated by hypertonic stress in Madin-Darby canine kidney cells. *T. Itoh, A. Yamauchi, A. Miyai, K. Yokoyama, T. Kamada, N. Ueda, and Y. Fujiwara* 2387

High expression of genes for calcification-regulating proteins in human atherosclerotic plaques. *C. M. Shanahan, N. R. B. Cary, J. C. Metcalfe, and P. L. Weissberg* 2393

Islet cell antibodies predict insulin-dependent diabetes in United States school age children as powerfully as in unaffected relatives. *D. Schatz, J. Krischer, G. Horne, W. Riley, R. Spillar, J. Silverstein, W. Winter, A. Muir, D. Derovanesian, S. Shah, J. Malone, and N. Maclaren* . . . 2403

Oxygen radicals inhibit human plasma acetylhydrolase, the enzyme that catabolizes platelet-activating factor. *G. Ambrosio, A. Oriente, C. Napoli, G. Palumbo, P. Chiariello, G. Marone, M. Condorelli, M. Chiariello, and M. Triggiani* 2408

Complementary DNA cloning of the alternatively expressed endothelial cell glycoprotein Ibβ (GPIbβ) and localization of the GPIbβ gene to chromosome 22. *M. D. Kelly, D. W. Essex, S. S. Shapiro, F. J. Meloni, T. Druck, K. Huebner, and B. A. Konkle* 2417

Retinal signal transmission in Duchenne muscular dystrophy: evidence for dysfunction in the photoreceptor/depolarizing bipolar cell pathway. *K. M. Fitzgerald, G. W. Cibis, S. A. Giambrone, and D. J. Harris* . . . 2425

Angiotensin II stimulates extracellular matrix protein synthesis through induction of transforming growth factor-β expression in rat glomerular mesangial cells. *S. Kagami, W. A. Border, D. E. Miller, and N. A. Noble* 2431

Mechanisms of fatty acid–induced inhibition of glucose uptake. *G. Boden, X. Chen, J. Ruiz, J. V. White, and L. Rossetti* 2438

Two subsets of HLA-DQA1 alleles mark phenotypic variation in levels of insulin autoantibodies in first degree relatives at risk for insulin-dependent diabetes. *A. Pugliese, T. Bugawan, R. Moromisato, Z. L. Awdeh, C. A. Alper, R. A. Jackson, H. A. Erlich, and G. S. Eisenbarth* 2447

Interactions between insulin and norepinephrine on blood pressure and insulin sensitivity. Studies in lean and obese men. *A. D. Baron, G. Brechtel, A. Johnson, N. Fineberg, D. P. Henry, and H. O. Steinberg* 2453

Dietary cholesterol and downregulation of cholesterol 7α-hydroxylase and cholesterol absorption in African green monkeys. *L. Rudel, C. Deckelman, M. Wilson, M. Scobey, and R. Anderson* 2463

In situ glucose uptake and glucokinase activity of pancreatic islets in diabetic and obese rodents. *Y. Liang, S. Bonner-Weir, Y.-J. Wu, C. D. Berdanier, D. K. Berner, S. Efrat, and F. M. Matschinsky* . . . 2473

Pertussis toxin treatment alters manganese superoxide dismutase activity in lung. Evidence for lung oxygen toxicity in air-breathing rats. *L. B. Clerch, G. Neithardt, U. Spencer, J. A. Melendez, G. D. Massaro, and D. Massaro* 2482

Induction of vascular endothelial growth factor expression by prostaglandin E_2 and E_1 in osteoblasts. *S.-i. Harada, J. A. Nagy, K. A. Sullivan, K. A. Thomas, N. Endo, G. A. Rodan, and S. B. Rodan* 2490

Inhibition of human factor VIIIa by anti-A2 subunit antibodies. *P. Lollar, E. T. Parker, J. E. Curtis, S. L. Helgerson, L. W. Hoyer, M. E. Scott, and D. Scandella* 2497

Temporal analysis of the antibody response to HIV envelope protein in HIV-infected laboratory workers. *S. H. Pincus, K. G. Messer, P. L. Nara, W. A. Blattner, G. Colclough, and M. Reitz* 2505

Mutation of the fumarase gene in two siblings with progressive encephalopathy and fumarase deficiency. *T. Bourgeron, D. Chretien, J. Poggi-Bach, S. Doonan, D. Rabier, P. Letouzé, A. Munnich, A. Rötig, P. Landrieu, and P. Rustin* 2514

In vivo effects of IgA and IgG2a anti-CD3 isotype switch variants. *K. J. Parlevliet, I. J. M. ten Berge, S.-L. Yong, J. Surachno, J. M. Wilmink, and P. Th. A. Schellekens* 2519

Comparative analysis of the *Apo(a)* gene, Apo(a) glycoprotein, and plasma concentrations of Lp(a) in three ethnic groups. Evidence for no common "null" allele at the Apo(a) locus. *A. Gaw, E. Boerwinkle, J. C. Cohen, and H. H. Hobbs* 2526

Cyclic AMP selectively enhances bradykinin receptor synthesis and expression in cultured arterial smooth muscle. Inhibition of angiotensin II and vasopressin response. *B. S. Dixon* 2535

Defining the genetic origins of three rheumatoid synovium-derived IgG rheumatoid factors. *M. Deftos, T. Olee, D. A. Carson, and P. P. Chen* 2545

Protein kinase A and C site-specific phosphorylations of LAP (NF-IL6) modulate its binding affinity to DNA recognition elements. *C. Trautwein, P. van der Geer, M. Karin, T. Hunter, and M. Chojkier* . 2554

Increased epinephrine and skeletal muscle responses to hypoglycemia in non-insulin-dependent diabetes mellitus. *H. Shamoon, S. Friedman, C. Canton, L. Zacharowicz, M. Hu, and L. Rossetti* 2562

Endothelin's biphasic effect on fluid absorption in the proximal straight tubule and its inhibitory cascade. *N. H. Garcia and J. L. Garvin* . . . 2572

Mineralocorticoids, hypertension, and cardiac fibrosis. *M. Young, M. Fullerton, R. Dilley, and J. Funder* 2578

Insulin regulation of renal glucose metabolism in conscious dogs. *E. Cersosimo, R. L. Judd, and J. M. Miles* 2584

Multiple lipolysis defects in the insulin resistance (metabolic) syndrome. *S. Reynisdottir, K. Ellerfeldt, H. Wahrenberg, H. Lithell, and P. Arner* 2590

Prenatal immune challenge alters the hypothalamic-pituitary-adrenocortical axis in adult rats. *J. M. H. M. Reul, I. Stec, G. J. Wiegers, M. S. Labeur, A. C. E. Linthorst, E. Arzt, and F. Holsboer* 2600

Exposure of the hydrophobic components of porcine lung surfactant to oxidant stress alters surface tension properties. *N. Gilliard, G. P. Heldt, J. Loredo, H. Gasser, H. Redl, T. A. Merritt, and R. G. Spragg* 2608

Potentiation by granulocyte macrophage colony-stimulating factor of lipopolysaccharide toxicity in mice. *G. Tiegs, J. Barsig, B. Matiba, S. Uhlig, and A. Wendel* 2616

Glucose-induced changes in Na^+/H^+ antiport activity and gene expression in cultured vascular smooth muscle cells. Role of protein kinase C. *B. Williams and R. L. Howard* 2623

Systemic administration of ciliary neurotrophic factor induces cachexia in rodents. *J. T. Henderson, N. A. Seniuk, P. M. Richardson, J. Gauldie, and J. C. Roder* 2632

Effects of chronic β-adrenergic blockade on the left ventricular and cardiocyte abnormalities of chronic canine mitral regurgitation. *H. Tsutsui, F. G. Spinale, M. Nagatsu, P. G. Schmid, K. Ishihara, G. DeFreyte, G. Cooper IV, and B. A. Carabello* 2639

Inhibition of amiloride-sensitive apical Na^+ conductance by acetylcholine in rabbit cortical collecting duct perfused in vitro. *M. Takeda, K. Yoshitomi, J. Taniguchi, and M. Imai* 2649

Role of controlled cardiac reoxygenation in reducing nitric oxide production and cardiac oxidant damage in cyanotic infantile hearts. *K. Morita, K. Ihnken, G. D. Buckberg, M. P. Sherman, H. H. Young, and L. J. Ignarro* 2658

Effects of chronic airway inflammation on the activity and enzymatic inactivation of neuropeptides in guinea pig lungs. *C. M. Lilly, L. Kobzik, A. E. Hall, and J. M. Drazen* 2667

Chronic nitric oxide inhibition in utero produces persistent pulmonary hypertension in newborn lambs. *J. R. Fineman, J. Wong, F. C. Morin III, L. M. Wild, and S. J. Soifer* 2675

Aminoguanidine, an inhibitor of inducible nitric oxide synthase, ameliorates experimental autoimmune encephalomyelitis in SJL mice. *A. H. Cross, T. P. Misko, R. F. Lin, W. F. Hickey, J. L. Trotter, and R. G. Tilton* 2684

Altered adenylyl cyclase activites and G-protein abnormalities in portal hypertensive rabbits. *P. A. Cahill, Y. Wu, and J. V. Sitzmann* 2691

Genetic mapping of two new blood pressure quantitative trait loci in the rat by genotyping endothelin system genes. *A. Y. Deng, H. Dene, M. Pravenec, and J. P. Rapp* 2701

Low density lipoprotein enhances the cellular action of arginine vasopressin in rat glomerular mesangial cells in culture. *S. Ishikawa, M. Kawasumi, K. Okada, and T. Saito* 2710

Effects of glucose on sorbitol pathway activation, cellular redox, and metabolism of *myo*-inositol, phosphoinositide, and diacylglycerol in cultured human retinal pigment epithelial cells. *T. P. Thomas, F. Porcellati, K. Kato, M. J. Stevens, W. R. Sherman, and D. A. Greene* 2718

Na,K-ATPase in diabetic rat small intestine. Changes at protein and mRNA levels and role of glucagon. *K. Barada, C. Okolo, M. Field, and N. Cortas* 2725

Rapid Publications

The antioxidant butylated hydroxytoluene prevents early cholesterol-induced microcirculatory changes in rabbits. *R. J. Xiu, A. Freyschuss, X. Ying, L. Berglund, P. Henriksson, and I. Björkhem* 2732

Retrobulbar T cells from patients with Graves' ophthalmopathy are $CD8^+$ and specifically recognize autologous fibroblasts. *B. Grubeck-Loebenstein, K. Trieb, A. Sztankay, W. Holter, H. Anderl, and G. Wick* 2738

Multiple gonococcal pilin antigenic variants are produced during experimental human infections. *H. S. Seifert, C. J. Wright, A. E. Jerse, M. S. Cohen, and J. G. Cannon* 2744

Abnormal Na^+/H^+ antiporter phenotype and turnover of immortalized lymphoblasts from type 1 diabetic patients with nephropathy. *L. L. Ng, J. E. Davies, M. Siczkowski, F. P. Sweeney, P. A. Quinn, B. Krolewski, and A. S. Krolewski* 2750

The inverse association of plasma lipoprotein(a) concentrations with apolipoprotein(a) isoform size is not due to differences in Lp(a) catabolism but to differences in production rate. *D. J. Rader, W. Cain, K. Ikewaki, G. Talley, L. A. Zech, D. Usher, and H. B. Brewer, Jr.* . . . 2758

Incorporation of chylomicron fatty acids into the developing rat brain. *G. J. Anderson, P. S. Tso, and W. E. Connor* 2764

June Author Index 2768

Author Index to Volume 93 2770